

SWING DOORS	8-9
OPEN STORAGE	10-11
TOWER	14-15
ROLLER DOORS	14-15
DRAWER INSERT	14-15
WARDROBES	15

PERSONAL LOCKER	16-19
SLIDING DOORS	20-21
ACCESS GRIP	23-25
ACCESSORIES	26-29
COLOURS	30-31







ACCESS DESK

STAND34TABLE TOP35COLOURS37



ACCESS LIGHT

ELECTRICAL STAND	40
TABLE TOP	41
ACCESSORIES	44-45
COLOURS	47







From simple elegance to individualized and exclusive, the choice is yours.

Access Storage is an entirely new storage series with the focus on function and flexibility. Configure the storage components to your own preference, fronts and carcasses are available in a broad selection of veneer as well as laminate and painted surfaces.

Access Storage is available with plinth or legs in several designs.

Choose between an open storage system, rolling doors, sliding doors or classic swinging doors. Select the height, width and depth that you need.


Select the standard model or a design option.








SWING DOORS (600)




SWING DOORS (800)









OPEN STORAGE (600)




OPEN STORAGE (800)



OPEN STORAGE (1181)



OPEN UPPER UNITS





..





Access Roller Doors. Front Ash Veneer, Cabinet Frame, Sandy Grey. Lock Standard.
Access Insert Drawer. Front Ash Veneer. Cabinet Frame, Sandy Grey. Access Grip, Dark Chocolate.

Access Tower (800), right 1 person. Front Natural Ash Veneer. Cabinet Frame Sandy Grey, Access Grip, Dark Chocolate, Lock, Standard.

ACCESS STORAGE


ROLLER DOORS







DRAWER INSERTS

Suitable for storage with sliding doors in width 1180/1580 mm, storage with swing doors and storage with roller doors. (Not for storage with rollfront 1xA4).




TOWERS (800)





TOWERS (900)




Options Tower 800 & 900 mm Right 1 person

Left 1 person
Left/Right 2 persons
(2 persons are not available in h. 904)

Right with built in wardrobe Left with built in wardrobe (Wardrobe not available in h. 904)

Available with cable entry.







D: 432

D: 596

PERSONAL LOCKER (HIGH LOCKERS) D: 432 D: 432 D: 432 D: 432 D: 596 D: 596 D: 596 D: 596 PERSONAL LOCKER (LOW LOCKERS) D: 432 D: 432 D: 432 D: 432 D: 596 D: 596 D: 596 D: 596 PERSONAL LOCKER (LOW LOCKERS + EXTENSION SHELF)




D: 432

D: 596

D: 432

D: 596

D: 596



PLINTH (30)



HIGH PLINTH (SEALED 300)



PLINTH (88)



HIGH PLINTH (OPEN 300)



SPECIFICATION PLINTH

Plinth 30 mm Surface material of plinth: Light Grey.

Surface material of plinth: As selected Cabinet Frame.

Plinth Sealed 300 mm

Surface material of plinth: As selected Cabinet Frame.

Plinth Open 300 mm


Surface material of plinth: As selected Cabinet Frame.











SLIDING DOORS















ACCESS GRIP

Cast handles with a tactile feel, shaped by the designer's own hands.

Using a 1:1 scale, our designer, Andreas Engesvik, has handcrafted the mold for the Access Series most exclusive fittings made in cast aluminum.

"An expression made by the human hand for the human hand."


//Andreas Engesvik, Oslo





ACCESS GRIP

MODELS





Handle

Nob





Inset Large (Tower)





Inset Large (Sliding doors)

DETAILS

Design Andreas Engesvik, Oslo

Cast handles with a tactile feel, shaped by the designer's own hands. Using a 1:1 scale, Andreas Engesvik, has handcrafted the mold for the Access Series most exclusive fittings.

Material Cast Aluminium

Finish Laquer

LACQUER

Black Lacquer



White Lacquer



Dark Chocolate



Aluminium





THE CHOICE IS YOURS

From simple elegance to individualized and exclusive.

Configure the storage components to your own preference.

	Oben zpazale	Sliding Doofs	Swing Door's		Peguallogie	liegh District	Open Uppel Urit	RollerDoors	Maddobe
Lock Standard		•	•	•	•			•	•
Lock Code		•	•	•	•				•
Electric Lock EM					•				
Electric Lock Mifare					•				
Access Grip Inset L		•		•					
Access Grip Inset S						•			
Access Grip Nob					•				
Access Grip Handle			•						•
Wire Handle Square			•						•
Nop Square					•				
Inset Handle Square		•		•					
Whire Handle Round			•						•
Nob Round					•				
Inset Handle Round		•		•					
Cut Out Handle						•			
Plinth 30 mm	•	•	•		•			•	•
Plinth 88 mm	•	•	•		•			•	•
Plinth 300 mm					•				
Open Plinth 300 mm					•				
Metall Legs Square	•	•	•					•	•
Metall Legs Round	•	•	•					•	•
Wheels	•	•						•	
Tidy Tray	•	•	•	•	•	•	•	•	•
Soft Close			•		•				•
Cable Entry				•					



On expansions, to be screwed on a shelf. W 345, H 293, D 325.

W 300-460, H 90, D 340.

OPEN FILE BOX MAPPI A4

White Lacquer

Grey Lacquer



Without anti-tilt, adjustable width. W 540-810, H 90, D 340.

ADJUSTABLE FILE BOX (300-460 mm)

Silver Lacquer

ADJUSTABLE FILE BOX (540-810 mm)

Silver Lacquer



To mount on the gable of Access cabinet or shelf.

> Easy to mount on Access shelves to support files. H 82, D 235.

TIDY TRAY

Grey

CLOTHES HOOK / FILE SUPPORTING BOW

Black

White

Silver



Code Lock



Standard Lock

LOCKS Code

4 digit Code Lock.

Standard

With Key.

Electric Lock EM (125 KHz) or Mifare (13,56 MHz) Lock in open position by default (individual mode).


WIRE HANDLE SQUARE & LEG SQUARE

Black Lacquer White Lacquer

WIRE HANDLE & LEG ROUND

Silver Lacquer

Silver Lacqer



Nob Square

Wire Handle Square



Inset Handle Square



Wire Handle Round



Nob Round



Inset Handle Round



Leg Round



WHEELS

Silver Lacqer





MATERIAL & COLOURS

Access Storage comes in a broad range of authentic veneers in Birch, Oak, Ash, laminate and with beautifully painted surfaces.

The Fern Green and Sandy Grey shades have been specially designed by Jens Fager. Fern Green was inspired by bracken and our serene Swedish forests. Sandy Grey conveys a sense of boulders crumbling into sand.

> "Beautiful, subdued and serene" //Jens Fager

ACCESS DESK

LAMINATE	WOOD/VENEER	
White (S 0500-N)	Birch	
Light Grey (S 2500-N)	Natural Oak	
	Natural Ash	
ACCENT COLOURS	LACQUER (STAND/LEC	GS)
White (S 0500-N)	Black Lacquer	
Light Grey (S 2500-N)	White Lacquer	
Sandy Grey (S 2005-Y50R)	Silver Lacquer	
Fern Green (S 7010-G30Y)		
COLOURS (PLINTH 30 mm)		
Plinth 30 mm, Light Grey (S 2500-N)		
TECHNICAL SPECIFICATION		



Access Storage Series is certified with Swedish "Möbelfakta".

Access Storage in Laminate is certified with Nordic Swan Ecolabel.

19 mm chipboard or MDF in veneer or topcoat. Veneer 0.6 mm thick. Edge strip in wood or ABS.

16 mm fibreboard or MDF sheet in veneer or topcoat. Edge strip in ABS. Some edges have open flat

Roll-front is constructed by 3 mm thick veneers and MDF sheet in veneer. Cotton fabric is used as carrier.

All plinths includes adjustable feet for uneven floors.



ACCESS DESK

Access is a table series with strict, straight forms.

The table tops are available in a number of different variants and many different colours and materials for tops and legs.

This provides excellent opportunities to design functional, customer adapted workplaces.



ACCESS DESK



STANDS

Height adjustable 650-780 mm incl. Table Top.

2-Leg Stand L 1600. D 800.

3-Leg Stand L 1900. D 1100.





FEET

Varied Feet Length

Feets length vary according to deep of table top.

Adjustable Feet

Feet can be adjusted up to 10 mm to absorb irregularities in the floor.



For Table Top up to D 600

1



For Table Top up to D 800

Can be adjusted up to 10 mm

ACCESS DESK

TABLE TOP (2-LEG STAND)





TABLE TOP (3-LEG STAND)







ACCESS DESK

LAMINATE		WOOD/VENEER	
White		Birch	
Light Grey		Natural Oak	
Dark Grey		Natural Ash	
Black		White Glazed Ash	
LACQUER (STAND/LEGS)		
Black Lacquer		Silver Lacquer	
White Lacquer		Chrome	7 4
PROFILES (TABLE TOP)			
Edsbyn Compact Profile Straight edge strip in black. Bevelled Edge w Strip			
Open MDF edge.			
Straight Edge Strip in Table Top colour.	Edsbyn Compact Profile	Bevelled Edge without strip	Straight Edge

TECHNICAL SPECIFICATION



Certifications
Access Desk is certified with Swedish "Möbelfakta".

Stand

Height adjustable 650-780 mm including table top. Feet can be adjusted up to 10 mm to absorb irregularities in the floor.

Table Tops

22 mm MDF with Veneer 0.6 mm thick or High-pressure laminate 0.7 mm. Tables with a high-pressure laminate surface also have a barrier laminate on the underside.

Edge Profiles

Bevelled edge without edge strip: Open clear lacquered MDF edges. Radius 20 mm at corners. Standard surface material veneer or high-pressure laminate.

Straight edge: Strip in table top colour. Standard surface material veneer or high-pressure laminate.

Edsbyn Compact Profile: Straight edge strip in black. Radius 20 mm at corners. Standard surface material laminate.



ACCESS LIGHT

The best working position is the next working position.

Vary between sitting and standing, or make just small adjustments.

Access Light is constructed to cope with daily use in tough conditions and offer high stability, strong lifting force and a low noise level.

We only use high-quality electronics and mechanical parts to ensure the reliability, smooth function and a long lifetime.



ACCESS LIGHT



ELECTRICAL STANDS

2-Leg Stand (2-part)

Adjustable heigt: 675-1175 mm (excl. Table Top)
Adjustable width: 1150-1740 mm.

2-Leg Stand (3-part)

Adjustable height: 605x1265 (excl Table Top) Adjustable width: 1150-1740

3-Leg (2-Part)

Adjustable heigt: 675-1175 mm (excl. Table Top) Adjustable width (main): 1740-2150 Adjustable depth (side incl main): 1540-2130 mm.



ACCESS LIGHT

TABLE TOP (2-LEG STAND)





TABLE TOP (3-LEG STAND)





MODEL AND



ACCESSORIES

With the focus on function and choice we offer a wide range of fitted accessories. Costumize Access Light to perfection without time consuming specialize.

ACCESS LIGHT

FOOT

2-Leg Stand

Available with Access Light foot, covered foot or solid foot.

3-Leg Stand

Available with Access Light foot.



Access Light Foot



Massive Foot



Covered Foot

STANDS

2-Part Stand

Height Range 675-1175.

3-Part Stand

Height Range 605-1265.



2-Part Stand



3-Part Stand

CONTROLS

Push Button With Display

Height-adjustment with push button inserted into the Table Top.



With Display

Push Button Without Display Height-adjustment with push button mounted under the Table Top.



Without Display

SOFT FLEX STORAGE

Storage bag. Hooked into Accessory bracket 2.0 for frame end (Accessory bracket, ordered separately).



Grey Feldt



FITTINGS

Accessory bracket 2.0 for beam

Installation for suspension of LiftLap and LiftSopi.

Table screen bracket Flex 2.0

For attachment to the frame end. Required for sliding table top. Easy to remove the table screen.

Cable tray Flex 2.0

Cable tray for attachment to the frame end of Access Light. Required for sliding table top.

Black	Lacquer
-------	---------



White Lacquer

Silver Lacquer



Table Screen bracket Flex 2.0



Caböe Tray Flex 2.0

ACCESSORY BRACKET 2.0

Accessory bracket hooked into the frame end. Needed for suspension of LiftSopi waste sorting and Soft Flex storage. Integrated hook for bag/backpack.

Accessory Bracket 2.0 for beam



White		
Silver		
Svart		

ADAPTER FOR LIFTSOPI

Adapter for attachment of LiftSopi waste sorting in Accessory bracket 2.0 for frame end.



Silver



ACCESS LIGHT

LAMINATE		WOOD/VENEER	
White		Birch	
Light Grey		Natural Oak	
Dark Grey		Natural Ash	
Black		White Glazed Ash	
LACQUER (STAND/LEGS)			
Black Lacquer		Silver Lacquer	
White Lacquer		Chrome	
PROFILES (TABLE TOP)			
Edsbyn Compact Profile Straight edge strip in black.			
Bevelled Edge w Strip Open MDF edge.			
Straight Edge Strip in Table Top colour.	Edsbyn Compact Profile	Bevelled Edge without strip	Straight Edge

TECHNICAL SPECIFICATION



Certifications

Access Light is certified with Swedish "Möbelfakta".

Stand

Beamless electrical stand with rectangular leg profile

Flexiframe Function

2 Legs adjustable width: 1150-1740 mm. 3 Legs adjustable width (main tabletop): 1740-2150 mm.

Adjustable depth


Side tabletop incl. main tabletop: 1540-2130 mm.

Height Intervals

675-1175 mm, exc. table top (2-piece telescopic/leg). 605-1265 mm, exc. table top (3-piece telescopic/leg).

Stregth

The electrical stand can accept approximately 100 kg of evenly distributed load (table top included).




SUSTAINABILITY

A GUIDING PRINCIPLE

Edsbyn strives to be your natural choice when making furniture selections while considering sustainability and care for the environment.

We are constantly working to improve our production processes and carefully select all of the raw materials we use.





CERTIFIED PRODUCTION

Edsbyverken is certified according to quality and environmental management standards: ISO 9001 and ISO 14001.

We expect materials from our suppliers to fulfil the criteria for environmental certification — and we require our suppliers to accept ethical and social responsibility, just like Edsbyn does.



CERTIFIED PRODUCTS

Certified according to Möbelfakta means: Technical quality standards for sustainability, stability and safety and for surface resistance. Environmental standards for materials and products.

Environmental standards for materials and products. The environmental standards primarily relate to raw materials and components used during manufacture, while the product standards relate to the completed item of furniture.

Producers and subcontractors undertake systematic occupational health and safety work and comply with current occupational health and safety legislation.



NORDIC SWAN ECOLABEL

Edsbyn was the first manufacturer of office furniture to be Nordic Ecolabelled.

Our latest example of a Nordic Ecolabelled product is the Ease screen system which is manufactured from a material normally used for sound absorption in vehicles. It consists of recycled textiles and PET bottles, which makes Ease a good example of sustainable product development.

ACCESS

A completely new storage line and desks with the focus on function and choice. Edsbyn has been producing quality customised furniture for over 100 years.

The Access Series is our response to new demands to fit the next generations workspace.

