

SIT'N'STAND

The best working position is always the next working position.

Vary between sitting and standing, or make just small adjustments to find your best working position.

Edsbyn's Sit 'n' Stand desks are constructed to cope with daily use in tough conditions and offer high stability, strong lifting force and a low noise level.

We only use high-quality electronics and mechanical parts to ensure the reliability, smooth function and long lifetime.

ELECTRICAL STAND
TABLE TOPS
ACCESSORIES12-13
COLOURS & MATERIALS15

OPUS LIGHT

ELECTRICAL STAND 1	8
TABLE TOPS 1	9
ACCESSORIES	0
COLOURS & MATERIALS	0

NEAT TABLE

ELECTRICAL STAND	26-27
TABLE TOPS	26-27
ACCESSORIES	32
COLOURS & MATERIALS	32

ACCESS LIGHT





OPUS LIGHT





NEAT TABLE













The best working position is the next working position.

Vary between sitting and standing, or make just small adjustments.

Access Light is constructed to cope with daily use in tough conditions and offer high stability, strong lifting force and a low noise level.

We only use high-quality electronics and mechanical parts to ensure the reliability, smooth function and a long lifetime.





ELECTRICAL STANDS

2-Leg Stand (2-part)

Adjustable height: 675-1175 mm (excl. Table Top)
Adjustable width: 1150-1740 mm.

2-Leg Stand (3-part)

Adjustable height: 605-1265 (excl. Table Top)
Adjustable width: 1150-1740

3-Leg (2-Part)

Adjustable height: 675-1175 mm (excl. Table Top)
Adjustable width (main): 1740-2150
Adjustable depth (side incl main): 1540-2130 mm.



ACCESS LIGHT

TABLE TOP (2-LEG STAND)






TABLE TOP (3-LEG STAND)







ACCESSORIES

A sit and stand desk with a wide range of fitted accessories.

Costumize Access Light to perfection without time consuming specialize.

FOOT

2-Leg Stand

Available with Access Light foot, covered foot or solid foot.

3-Leg Stand

Available with Access Light foot.



Access Light Foot



Massive Foot



Covered Foot

STANDS

2-Part Stand

Height Range 675-1175.

3-Part Stand

Height Range 605-1265.



2-Part Stand



3-Part Stand

CONTROLS

Push Button With Display

Height-adjustment with push button inserted into the Table Top.



With Display

Push Button Without Display Height-adjustment with push button mounted under the Table Top.



Without Display

SOFT FLEX STORAGE

Storage bag. Hooked into Accessory bracket 2.0 for frame end (Accessory bracket, ordered separately).



Grey Feldt



FITTINGS

Accessory bracket 2.0 for beam

Installation for suspension of LiftLap and LiftSopi.

Table screen bracket Flex 2.0

For attachment to the frame end. Required for sliding table top. Easy to remove the table screen.

Cable tray Flex 2.0

Cable tray for attachment to the frame end of Access Light. Required for sliding table top.

Black Lacquer



White Lacquer

Grey Lacquer





Accessory Bracket 2.0 for beam



Table Screen bracket Flex 2.0



Cable Tray Flex 2.0

13

ACCESSORY BRACKET 2.0

Accessory bracket hooked into the frame end. Needed for suspension of LiftSopi waste sorting and Soft Flex storage. Integrated hook for bag/backpack.




White	
Silver	
Black	(A) (A) (A)
	5. v v. 55 itt

ADAPTER FOR LIFTSOPI

Adapter for attachment of LiftSopi waste sorting in Accessory bracket 2.0 for frame end.



Silver



LAMINATE		WOOD/VENEER	
White		Birch	
Light Grey		Natural Oak	
Dark Grey		Natural Ash	
Black		White Glazed Ash	75
LACQUER (STAND/LEGS)			
Black Lacquer		Silver Lacquer	
White Lacquer			
PROFILES (TABLE TOP)			
Edsbyn Compact Profile Straight edge strip in black. Bevelled Edge w Strip Open MDF edge.			
Straight Edge Strip in Table Top colour.	Edsbyn Compact Profile	Bevelled Edge without strip	Straight Edge

TECHNICAL SPECIFICATION



Certifications

Access Light is certified with Swedish "Möbelfakta".

Stand

Beamless electrical stand with rectangular leg profile

Flexiframe Function

2 Legs adjustable width: 1150-1740 mm. 3 Legs adjustable width (main tabletop): 1740-2150 mm.

Adjustable depth

Side tabletop incl. main tabletop: 1540-2130 mm.

Height Intervals

675-1175 mm, excl. table top (2-piece telescopic/leg). 605-1265 mm, excl. table top (3-piece telescopic/leg).

Strength

The electrical stand can accept approximately 100 kg of evenly distributed load (table top included).



OPUS LIGHT

Makes your decision easy, Opus Sit 'n' Stand offer less choices and the same high and dependable quality.



OPUS LIGHT



ELECTRICAL STANDS

2-Leg Stand

Adjustable width: 1150-1740 mm.

3-Leg Stand

Adjustable width: 1740-2150 mm. (main tabletop):

Adjustable depth: 1540-2130 mm. (side tabletop incl. main tabletop):





TELESCOPIC STAND

2-Part Leg

675-1175 mm, excl. table top

3-Part Leg

605-1265 mm, excl. table top





OPUS LIGHT

TABLE TOP (2-LEG STAND)





TABLE TOP (3-LEG STAND)





OPUS LIGHT

LAMINATE WOOD/VENEER White Birch Natural Oak Light Grey Natural Ash Dark Grey White Glazed Ash Black LACQUER (STAND/LEGS) Silver Lacquer Black Lacquer White Lacquer

PROFILES (TABLE TOP)

Edsbyn Compact Profile Straight edge strip in black.

Bevelled Edge w Strip Open MDF edge.

Straight Edge Strip in Table Top colour.



Edsbyn Compact Profile



Bevelled Edge without strip



Straight Edge

CONTROLS

Push Button With Display Height-adjustment with push button inserted into the Table Top.



With Display

Push Button Without Display Height-adjustment with push button mounted under the Table Top.



Without Display



TECHNICAL SPECIFICATION



Certifications

Opus Light is certified with Swedish "Möbelfakta" and the Nordic Ecolable Svanen




Beamless electrical stand with rectangular leg profile

The electrical stand can accept approximately 100 kg of evenly distributed load (table top included).

Only one version of foot, Opus Light foot.

Accessories

No attachment for accessories.



NEAT TABLE

Design by the Scandinavian architect team TEA.

Neat offers a variety of sizes and functions catered to fit most of the requirements and needs of a modern workplace, including well-designed technology panels and Neat electrical and network sockets.



NEAT

HILO SINGLE



T-NET SINGLE



HILO DUAL




T-NET DUAL




HILO SINGLE/DUAL INTEGRATED TOWER







NEAT


HILO SINGLE & HILO INTEGRATED









HILO DUAL












NEAT


T-NET SINGLE




T-NET DUAL

















THOMAS ERIKSSON ARCHITECTS

With the core of a strong desire to explore the intersection of art and science, Thomas Eriksson Architects are designing furniture, that communicate and builds identity with Scandinavian tonality.









ACCESSORIES

Accessories that make daily work a bit smoother and more fun.

The Neat series offers many functional and stylish electrical accessories.

Contact us for more information.

NEAT TABLE

WOOD/VENEER

Black (S 9000-N)

Turquoice (S 3030-B30G)

Petroleum (S 7020-B10G)

Birch White (S 0502-G50Y) Oak Black (S 9000-N) Oak, black Dark grey (S 6502-B) Light grey (S 2500-N) White glazed ash 5% White stained ash 3 LACQUER (Stand/Legs & Technology panel) Black lacquer **DESKTOP*** * Available for T-Net Beige (4176) White lacquer Light grey (4175) Dark Chocolate (8019) Black (4023) Misty Grey (7044) ACCENT COLOUR (HiLo Panxsels) White (S 0500-N) Bay leaf green (S 4020-G30Y) Light grey (S 2500-N) Mist green (S 2010-B70G) Dark grey (S 7000-N) Nougat (S 6005-Y20R)


HPL

There is more – see all configurations and colours at my.edsbyn.com

Brown (S8010-Y90R)

Sun yellow (S 1040-Y)

Powder pink (S 1510-Y80R)



33

CERTIFICATIONS




Neat is certified with Swedish "Möbelfakta".



THE CHOICE IS YOURS

Access Light offers a wide range of accessories and several options to customize the desk to perfection. Opus Light has the same high standard as Access Light and less options that makes the decision easy. Neat series is a high-end designed desk, by TEA, with a variety of sizes and functions catered to fit most of the requirements and needs of a modern workplace.

	Access Light	Optelight	Heat Hill o Strolle	Heat Hill Olya	Hilo Dualint tome	Heat I Was Blude	Heat I Het Dua
2-Leg	•	•	•	•	•	•	•
3-Leg	•	•					
Access Light Foot	•						
Access Massive Foot	•						
Access Covered Foot	•						
2-Part Stand (2 piece telescopic)	•	•					
3-Part Stand (3-piece telescopic)	•	•					
Controll w display	•	•					
Controll no display	•	•	•	•	•	•	•
Soft Flex Storage	•						
Bracket 2.0 for beam	•						
Bracket for table screen	•						
Bracket 2.0 - Frame end	•						
Adapter Liftsopi	•						
Edge profile: Edsbyn Compact	•	•					
Edge Profile: Bevelled without strip	•	•					
Edge Profile: Straight Edge	•	•	•	•	•	•	•
Adjustable Depth	•						
Beamless	•	•					
Height adjustable	•	•	•	•	•	•	•
Prepared for sockets	•	•	•	•	•	•	•
Not prepared for sockets	•	•	•	•	•	•	•
Height Range 675-1175 mm	•	•					
Height Range 605-1265 mm	•	•					
Perforation for Cable Box	•	•	•	•	•	•	•
Perforation for Cable Port	•	•					
Perforation for Power Box	•	•					
Perforation for Bi Box Small	•	•					
Cable Door with brush 220 mm	•	•					
Cable Door with brush 400 mm	•	•					
Sliding Table Top	•						



SUSTAINABILITY

A GUIDING PRINCIPLE

Edsbyn strives to be your natural choice when making furniture selections while considering sustainability and care for the environment.

We are constantly working to improve our production processes and carefully select all of the raw materials we use.





CERTIFIED PRODUCTION

Edsbyverken is certified according to quality and environmental management standards: ISO 9001 and ISO 14001.

We expect materials from our suppliers to fulfil the criteria for environmental certification — and we require our suppliers to accept ethical and social responsibility, just like Edsbyn does.



CERTIFIED PRODUCTS

Certified according to Möbelfakta means: Technical quality standards for sustainability, stability and safety and for surface resistance. Environmental standards for materials and products.

Environmental standards for materials and products.

The environmental standards primarily relate to raw materials and components used during manufacture, while the product standards relate to the completed item of furniture.

Producers and subcontractors undertake systematic occupational health and safety work and comply with current occupational health and safety legislation.



NORDIC SWAN ECOLABEL

Edsbyn was the first manufacturer of office furniture to be Nordic Ecolabelled.

Our latest example of a Nordic Ecolabelled product is the Ease screen system which is manufactured from a material normally used for sound absorption in vehicles. It consists of recycled textiles and PET bottles, which makes Ease a good example of sustainable product development

SIT'N'STAND

Edsbyn's Sit 'n' Stand desks are constructed to cope with daily use in tough conditions and offer high stability, strong lifting force and a low noise level.

We only use high-quality electronics and mechanical parts to ensure the reliability, smooth function and long lifetime.

